ELSEVIER

Neuroscience Letters 328 (2002) 328–332

Neuroscience Letters

www.elsevier.com/locate/neulet

# Author Index to Volume 328

Abe, K., see Yang, J.-Y., 165
Akaike, A., see Katayama, T., 277
Aldenhoff, J.B., see Schiffelholz, T., 41
Alipour, M., see Jürgens, U., 245
Amano, T., see Seki, T., 249
Amaya, F., see Ueda, M., 97
Andrews, Z.B., Grattan, D.R., Opioid control of prolactin secretion in late pregnant rats is mediated by tuberoinfundibular dopamine neurons, 60
Annesi, F., see Nicoletti, G., 65
Annesi, G., see Nicoletti, G., 65
Aponte, J.J., see Chamorro, Á., 229
Arendt-Nielsen, L., see Chen, A.C.N., 190
Aruoma, O.I., see Moncaster, J.A., 55
Ashitomi, K., see Sugaya, K., 74
Aslantas, A., see Ulugol, A., 129

Baghai, T.C., Schule, C., Zwanzger, P., Minov, C., Zill, P., Ella, R., Eser, D., Oezer, S., Bondy, B., Rupprecht, R., Hypothalamic-pituitary-adrenocortical axis dysregulation in patients with major depression is influenced by the insertion/deletion polymorphism in the angiotensin I-converting enzyme gene, 299
Bagnoli, S., Nacmias, B., Tedde, A., Guarnieri, B.M., Cellini, E., Ciantelli, M., Petruzzi, C., Bartoli, A., Ortenzi, L., Serio, A., Sorbi, S., Cathepsin D polymorphism in Italian sporadic and familial Alzheimer's disease, 273
Bajaj, N.P.S., see Sisodiya, S.M., 217
Ballerini, C., Rosati, E., Salvetti, M., Ristori, G., Cannoni, S., Biagioli, T., Massacesi, L., Sorbi, S., Vergelli, M., Protein tyrosine phosphatase receptor-type C exon 4 gene mutation distribution in an Italian multiple sclerosis population, 325
Barreto, W.J., see Ponzoni, S., 170
Bartoli, A., see Bagnoli, S., 273
Bastia, E., Varani, K., Monopoli, A., Bertorelli, R., Effects of $A_1$ and $A_{2A}$ adenosine receptor ligands in mouse acute models of pain, 241
Bawn, S.D., see Rojas, D.C., 237
Baxter, D.A., see Nargeot, R., 85
Beck Jr., R.D., see Petitto, J.M., 304
Bédard, A., Cossette, M., Lévesque, M., Parent, A., Proliferating cells can differentiate into neurons in the striatum of normal adult monkey, 213
Benkers, T.L., see Rojas, D.C., 237
Bensafi, M., Rouby, C., Farget, V., Vigouroux, M., Holley, A., Asymmetry of pleasant vs. unpleasant odor processing during affective judgment in humans, 309
Berciano, J., see Infante, J., 71
Bertorelli, R., see Bastia, E., 241
Biagioli, T., see Ballerini, C., 325
Bimonte, H.A., Granholm, A.-C.E., Seo, H., Isacson, O., Spatial memory testing decreases hippocampal amyloid precursor protein in young, but not aged, female rats, 50
Birbaumer, N., see Veit, R., 233
Blum, D., see Ponzoni, S., 170
Bondy, B., see Baghai, T.C., 299
Boustany, R.-M., see Lockhart, E.M., 33
Britto, L.R.G., see Ponzoni, S., 170
Brocco, M.A., Panzetta, P., Neurotrophic factors and depolarization do not enhance viability and process regrowth on a purified set of chick embryo retinal ganglion cells, 221
Bromm, B., see Nakamura, Y., 29
Brown, P., see Serrien, D.J., 89
Byrne, J.H., see Nargeot, R., 85

Cannoni, S., see Ballerini, C., 325
Cao, X.-D., see Ji, G.-C., 137
Caracciolo, M., see Nicoletti, G., 65
Castillo, J., see Chamorro, Á., 229
Cavalla, P., see Schiffer, D., 125
Cellini, E., see Bagnoli, S., 273
Cervera, Á., see Chamorro, Á., 229
Chamorro, Á., Cervera, Á., Castillo, J., Dávalos, A., Aponte, J.J., Planas, A.M., Unfractionated heparin is associated with a lower rise of serum vascular cell adhesion molecule-1 in acute ischemic stroke patients, 229
Chan, P., Cheng, J.-T., Tsai, J.-C., Lien, G.-S., Chen, F.-C., Kao, P.-F., Liu, J.-C., Chen, Y.-J., Hsieh, M.-H., Effect of catechin on the activity and gene expression of superoxide dismutase in cultured rat brain astrocytes, 281
Chartier-Harlin, M.-C., see Lendon, C.L., 314
Chen, A.C.N., Niddam, D.M., Crawford, H.J., Oostenveld, R., Arendt-Nielsen, L., Spatial summation of pain processing in the human brain as assessed by cerebral event related potentials, 190
Chen, F.-C., see Chan, P., 281
Chen, L., see Tang, G., 195
Chen, Y.-J., see Chan, P., 281
Cheng, J.-T., see Chan, P., 281
Chitnis, X.A., see Ettinger, U., 225
Cho, H.S., see Martin-Rehrmann, M.D., 109
Choi, B.-M., Kim, H.-J., Oh, G.-S., Pae, H.-O., Oh, H., Jeong, S., Kwon, T.-O., Kim, Y.-M., Chung, H.-T., 1,2,3,4,6-Penta-*O*-galloyl-beta-D-glucose protects rat neuronal cells (Neuro 2A) from hydrogen peroxide-mediated cell death via the induction of heme oxygenase-1, 185
Chung, H.-T., see Choi, B.-M., 185
Ciantelli, M., see Bagnoli, S., 273
Cisse, M., see Karege, F., 261
Combarros, O., see Infante, J., 71
Corr, P.J., see Ettinger, U., 225
Cossette, M., see Bédard, A., 213

PII: S0304-3940(02)00766-8

ELSEVIER

Neuroscience Letters 328 (2002) 328–332

Neuroscience Letters

www.elsevier.com/locate/neulet

# Author Index to Volume 328

Abe, K., see Yang, J.-Y., 165
Akaike, A., see Katayama, T., 277
Aldenhoff, J.B., see Schiffelholz, T., 41
Alipour, M., see Jürgens, U., 245
Amano, T., see Seki, T., 249
Amaya, F., see Ueda, M., 97
Andrews, Z.B., Grattan, D.R., Opioid control of prolactin secretion in late pregnant rats is mediated by tuberoinfundibular dopamine neurons, 60
Annesi, F., see Nicoletti, G., 65
Annesi, G., see Nicoletti, G., 65
Aponte, J.J., see Chamorro, Á., 229
Arendt-Nielsen, L., see Chen, A.C.N., 190
Aruoma, O.I., see Moncaster, J.A., 55
Ashitomi, K., see Sugaya, K., 74
Aslantas, A., see Ulugol, A., 129

Baghai, T.C., Schule, C., Zwanzger, P., Minov, C., Zill, P., Ella, R., Eser, D., Oezer, S., Bondy, B., Rupprecht, R., Hypothalamic-pituitary-adrenocortical axis dysregulation in patients with major depression is influenced by the insertion/deletion polymorphism in the angiotensin I-converting enzyme gene, 299
Bagnoli, S., Nacmias, B., Tedde, A., Guarnieri, B.M., Cellini, E., Ciantelli, M., Petruzzi, C., Bartoli, A., Ortenzi, L., Serio, A., Sorbi, S., Cathepsin D polymorphism in Italian sporadic and familial Alzheimer's disease, 273
Bajaj, N.P.S., see Sisodiya, S.M., 217
Ballerini, C., Rosati, E., Salvetti, M., Ristori, G., Cannoni, S., Biagioli, T., Massacesi, L., Sorbi, S., Vergelli, M., Protein tyrosine phosphatase receptor-type C exon 4 gene mutation distribution in an Italian multiple sclerosis population, 325
Barreto, W.J., see Ponzoni, S., 170
Bartoli, A., see Bagnoli, S., 273
Bastia, E., Varani, K., Monopoli, A., Bertorelli, R., Effects of $A_1$ and $A_{2A}$ adenosine receptor ligands in mouse acute models of pain, 241
Bawn, S.D., see Rojas, D.C., 237
Baxter, D.A., see Nargeot, R., 85
Beck Jr., R.D., see Petitto, J.M., 304
Bédard, A., Cossette, M., Lévesque, M., Parent, A., Proliferating cells can differentiate into neurons in the striatum of normal adult monkey, 213
Benkers, T.L., see Rojas, D.C., 237
Bensafi, M., Rouby, C., Farget, V., Vigouroux, M., Holley, A., Asymmetry of pleasant vs. unpleasant odor processing during affective judgment in humans, 309
Berciano, J., see Infante, J., 71
Bertorelli, R., see Bastia, E., 241
Biagioli, T., see Ballerini, C., 325
Bimonte, H.A., Granholm, A.-C.E., Seo, H., Isacson, O., Spatial memory testing decreases hippocampal amyloid precursor protein in young, but not aged, female rats, 50
Birbaumer, N., see Veit, R., 233
Blum, D., see Ponzoni, S., 170
Bondy, B., see Baghai, T.C., 299
Boustany, R.-M., see Lockhart, E.M., 33
Britto, L.R.G., see Ponzoni, S., 170
Brocco, M.A., Panzetta, P., Neurotrophic factors and depolarization do not enhance viability and process regrowth on a purified set of chick embryo retinal ganglion cells, 221
Bromm, B., see Nakamura, Y., 29
Brown, P., see Serrien, D.J., 89
Byrne, J.H., see Nargeot, R., 85

Cannoni, S., see Ballerini, C., 325
Cao, X.-D., see Ji, G.-C., 137
Caracciolo, M., see Nicoletti, G., 65
Castillo, J., see Chamorro, Á., 229
Cavalla, P., see Schiffer, D., 125
Cellini, E., see Bagnoli, S., 273
Cervera, Á., see Chamorro, Á., 229
Chamorro, Á., Cervera, Á., Castillo, J., Dávalos, A., Aponte, J.J., Planas, A.M., Unfractionated heparin is associated with a lower rise of serum vascular cell adhesion molecule-1 in acute ischemic stroke patients, 229
Chan, P., Cheng, J.-T., Tsai, J.-C., Lien, G.-S., Chen, F.-C., Kao, P.-F., Liu, J.-C., Chen, Y.-J., Hsieh, M.-H., Effect of catechin on the activity and gene expression of superoxide dismutase in cultured rat brain astrocytes, 281
Chartier-Harlin, M.-C., see Lendon, C.L., 314
Chen, A.C.N., Niddam, D.M., Crawford, H.J., Oostenveld, R., Arendt-Nielsen, L., Spatial summation of pain processing in the human brain as assessed by cerebral event related potentials, 190
Chen, F.-C., see Chan, P., 281
Chen, L., see Tang, G., 195
Chen, Y.-J., see Chan, P., 281
Cheng, J.-T., see Chan, P., 281
Chitnis, X.A., see Ettinger, U., 225
Cho, H.S., see Martin-Rehrmann, M.D., 109
Choi, B.-M., Kim, H.-J., Oh, G.-S., Pae, H.-O., Oh, H., Jeong, S., Kwon, T.-O., Kim, Y.-M., Chung, H.-T., 1,2,3,4,6-Penta-*O*-galloyl-beta-D-glucose protects rat neuronal cells (Neuro 2A) from hydrogen peroxide-mediated cell death via the induction of heme oxygenase-1, 185
Chung, H.-T., see Choi, B.-M., 185
Ciantelli, M., see Bagnoli, S., 273
Cisse, M., see Karege, F., 261
Combarros, O., see Infante, J., 71
Corr, P.J., see Ettinger, U., 225
Cossette, M., see Bédard, A., 213

PII: S0304-3940(02)00766-8

Crawford, H.J., see Chen, A.C.N., 190
Crawford, T.J., see Ettinger, U., 225
Cross, J.H., see Sisodiya, S.M., 217
Cuevas, J., see DeHaven, W.I., 45

Darlington, C.L., see King, J., 77
Dávalos, A., see Chamorro, Á., 229
DeHaven, W.I., Cuevas, J., Heterogeneity of pituitary adenylate cyclase-activating polypeptide and vasoactive intestinal polypeptide receptors in rat intrinsic cardiac neurons, 45
DeKosky, S.T., see Desai, P., 9
Desai, P., DeKosky, S.T., Kamboh, M.I., Genetic variation in the cholesterol 24-hydroxylase (CYP46) gene and the risk of Alzheimer's disease, 9
Destée, A., see Nazé, P., 1
Dluzen, D.E., see Shang, Y., 81
Dokmeci, I., see Ulugol, A., 129

Ebert, D., see Hesslinger, B., 319
Ella, R., see Baghai, T.C., 299
Elsworth, J.D., see Redmond, A.J., 209
Erb, M., see Veit, R., 233
Eser, D., see Baghai, T.C., 299
Ettinger, U., Kumari, V., Chitnis, X.A., Corr, P.J., Sumich, A.L., Rabe-Hesketh, S., Crawford, T.J., Sharma, T., Relationship between brain structure and saccadic eye movements in healthy humans, 225

Farget, V., see Bensafi, M., 309
Farkas, J., see Hashiba, E., 5
Fiano, V., see Schiffer, D., 125
Firat, Z., see Ulugol, A., 129
Flor, H., see Veit, R., 233
Flores, A., see Manjarrez, E., 37
Fowler, J.C., see Gervitz, L.M., 175
Friederici, A.D., see Heim, St., 101
Fujinami, A., see Ohta, K., 205

Gaziri, L.C.J., see Ponzoni, S., 170
Gentleman, S.M., see Moncaster, J.A., 55
Gervitz, L.M., Nalbant, D., Williams, S.C., Fowler, J.C., Adenosine-mediated activation of Akt/protein kinase B in the rat hippocampus in vitro and in vivo, 175
Ghimenti, C., see Schiffer, D., 125
Glass, T.F., Reeves, B., Sharp, F.R., Modeling both the mechanical and hypoxic features of traumatic brain injury in vitro in rats, 133
Granholm, A.-C.E., see Bimonte, H.A., 50
Grattan, D.R., see Andrews, Z.B., 60
Grodd, W., see Veit, R., 233
Grune, T., see Pirlich, M., 93
Guarnieri, B.M., see Bagnoli, S., 273
Guo, J., Schofield, G.G., Histamine inhibits KCNQ2/KCNQ3 channel current via recombinant histamine $H_1$ receptors, 285

Haegele, K., see Hesslinger, B., 319
Hao, Y., see Tang, G., 195
Harding, B.N., see Sisodiya, S.M., 217
Harnack, D., see Meissner, W., 105
Harris, J.M., see Lendon, C.L., 314
Hartemink, D.A., see Petitto, J.M., 304
Hashiba, E., Lambert, D.G., Farkas, J., Toth, G., Smith, G., Comparison of the binding of [$^3$H]nociceptin/orphaninFQ(1–13)$NH_2$, [$^3$H]nociceptin/orphaninFQ(1–17)OH and [$^{125}$I]Tyr$^{14}$nociceptin/orphaninFQ(1–17)OH to recombinant human and native rat cerebrocortical nociceptin/orphanin FQ receptors, 5
Hatano, T., see Sugaya, K., 74
Hayashi, K., see Ohta, K., 205
Heim, St., Opitz, B., Friederici, A.D., Broca's area in the human brain is involved in the selection of grammatical gender for language production: evidence from event-related functional magnetic resonance imaging, 101
Hellström-Lindahl, E., see Marutle, A., 269
Hennig, J., see Hesslinger, B., 319
Hermann, C., see Veit, R., 233
Hesslinger, B., Tebartz van Elst, L., Thiel, T., Haegele, K., Hennig, J., Ebert, D., Frontoorbital volume reductions in adult patients with attention deficit hyperactivity disorder, 319
Highton, J., see King, J., 77
Hirose, M., see Ueda, M., 97
Hof, P.R., Perl, D.P., Neurofibrillary tangles in the primary motor cortex in Guamanian amyotrophic lateral sclerosis/parkinsonism-dementia complex, 294
Holley, A., see Bensafi, M., 309
Hong, Z., see Wang, D.-S., 117
Hsieh, M.-H., see Chan, P., 281
Huang, Z., see Petitto, J.M., 304
Humpel, C., see Schermer, C., 180

Ibata, Y., see Ueda, M., 97
Ibuki, T., see Ueda, M., 97
Imaizumi, K., see Manabe, T., 198
Infante, J., Llorca, J., Berciano, J., Combarros, O., No synergistic effect between − 850 tumor necrosis factor-α promoter polymorphism and apolipoprotein E ε4 allele in Alzheimer's disease, 71
Isabelle, P., see Khalfa, S., 145
Isacson, O., see Bimonte, H.A., 50
Ishii, Y., see Negishi, T., 21
Ito, M., see Katayama, T., 277
Iwatsubo, T., see Lendon, C.L., 314

Jean-Pierre, B., see Khalfa, S., 145
Jen, L.-S., see Moncaster, J.A., 55
Jeong, S., see Choi, B.-M., 185
Ji, G.-C., Zhang, Y.-Q., Ma, F., Cao, X.-D., Wu, G.-C., Inhibitory effects of intrathecally administered interleukin-1β on carrageenan-induced hyperalgesia and spinal c-Fos expression in rats, 137
Jia, H., see Yang, Z.-J., 141
Jiang, Q., see Stys, P.K., 150
Jiang, S., see Tang, G., 195
Jürgens, U., Alipour, M., A comparative study on the cortico-hypoglossal connections in primates, using biotin dextranamine, 245

Kakigi, R., see Okusa, T., 113
Kamboh, M.I., see Desai, P., 9
Kao, P.-F., see Chan, P., 281
Karadag, H.C., see Ulugol, A., 129
Karege, F., Schwald, M., Cisse, M., Postnatal developmental profile of brain-derived neurotrophic factor in rat brain and platelets, 261
Katayama, T., Minami, M., Nakamura, M., Ito, M., Katsuki, H., Akaike, A., Satoh, M., Excitotoxic injury induces production of monocyte chemoattractant protein-1 in rat cortico-striatal slice cultures, 277
Katayama, T., see Manabe, T., 198
Kato, S., see Yamashita, S., 289
Kato, Y., see Tanaka, J., 201

Katsuki, H., see Katayama, T., 277
Kawai, N., see Miyawaki, T., 25
Kawamura, S., see Negishi, T., 21
Khalfa, S., Isabelle, P., Jean-Pierre, B., Manon, R., Event-related skin conductance responses to musical emotions in humans, 145
Kim, H.-J., see Choi, B.-M., 185
Kim, Y.-M., see Choi, B.-M., 185
King, J., Young, C., Highton, J., Smith, P.F., Darlington, C.L., Vestibulo-ocular, optokinetic and postural function in humans with rheumatoid arthritis, 77
Kiok, K., see Pirlich, M., 93
Kitada, K., see Seki, T., 249
Konno, K., see Miyawaki, T., 25
Koshimura, K., see Tanaka, J., 201
Kudo, T., see Manabe, T., 198
Kumari, V., see Ettinger, U., 225
Kuno, S., see Ohta, K., 205
Kupsch, A., see Meissner, W., 105
Kuroda, Y., see Negishi, T., 21
Kwon, T.-O., see Choi, B.-M., 185

Lambert, D.G., see Hashiba, E., 5
Lambert, J.-C., see Lendon, C.L., 314
Lan, H., see Tang, G., 195
Lendon, C.L., Thaker, U., Harris, J.M., McDonagh, A.M., Lambert, J.-C., Chartier-Harlin, M.-C., Iwatsubo, T., Pickering-Brown, S.M., Mann, D.M.A., The angiotensin 1-converting enzyme insertion (I)/deletion (D) polymorphism does not influence the extent of amyloid or tau pathology in patients with sporadic Alzheimer's disease, 314
Lévesque, M., see Bédard, A., 213
Li, J.-S., see Wang, D.-S., 117
Lien, G.-S., see Chan, P., 281
Lin, D., see Tang, G., 195
Lin, W.-R., see Sisodiya, S.M., 217
Liu, H., Ng, C.E.L., Tang, B.L., Nogo-A expression in mouse central nervous system neurons, 257
Liu, J.-C., see Chan, P., 281
Llorca, J., see Infante, J., 71
Lo, J., see Petitto, J.M., 304
Lochs, H., see Pirlich, M., 93
Lockhart, E.M., Warner, D.S., Pearlstein, R.D., Penning, D.H., Mehrabani, S., Boustany, R.-M., Allopregnanolone attenuates *N*-methyl-D-aspartate-induced excitotoxicity and apoptosis in the human NT2 cell line in culture, 33
Lotze, M., see Veit, R., 233
Lutz, T.A., see Riediger, T., 121

Ma, F., see Ji, G.-C., 137
Makarenko, I.G., Meguid, M.M., Ugrumov, M.V., Distribution of serotonin 5-hydroxytriptamine 1B (5-$HT_{1B}$) receptors in the normal rat hypothalamus, 155
Manabe, T., Katayama, T., Sato, N., Kudo, T., Matsuzaki, S., Imaizumi, K., Tohyama, M., The cytosolic inclusion bodies that consist of splice variants that lack exon 5 of the presenilin-2 gene differ obviously from Hirano bodies observed in the brain from sporadic cases of Alzheimer's disease patients, 198
Manjarrez, E., Pérez, H., Rojas-Piloni, J.G., Vélez, D., Martínez, L., Flores, A., Absence of coherence between cervical and lumbar spinal cord dorsal surface potentials in the anaesthetized cat, 37
Mann, D.M.A., see Lendon, C.L., 314
Manon, R., see Khalfa, S., 145
Martikainen, I.K., Pertovaara, A., Spatial discrimination of one versus two test stimuli in the human skin: dissociation of mechanisms depending on the task and the modality of stimulation, 322
Martin-Rehrmann, M.D., Cho, H.S., Rebeck, G.W., Lack of association of two lipoprotein lipase polymorphisms with Alzheimer's disease, 109
Martínez, L., see Manjarrez, E., 37
Marutle, A., Unger, C., Hellström-Lindahl, E., Wang, J., Puoliväli, J., Tanila, H., Nordberg, A., Zhang, X., Elevated levels of Aβ1–40 and Aβ1–42 do not alter the binding sites of nicotinic receptor subtypes in the brain of APPswe and PS1 double transgenic mice, 269
Mascagni, F., see Wilson, M.A., 160
Massacesi, L., see Ballerini, C., 325
Masuzawa, T., see Miyawaki, T., 25
Matsubayashi, H., see Seki, T., 249
Matsuki, N., see Yang, J.-Y., 165
Matsuzaki, S., see Manabe, T., 198
McDonagh, A.M., see Lendon, C.L., 314
McDonald, A.J., see Wilson, M.A., 160
Meguid, M.M., see Makarenko, I.G., 155
Mehrabani, S., see Lockhart, E.M., 33
Meissner, W., Harnack, D., Paul, G., Reum, T., Sohr, R., Morgenstern, R., Kupsch, A., Deep brain stimulation of subthalamic neurons increases striatal dopamine metabolism and induces contralateral circling in freely moving 6-hydroxydopamine-lesioned rats, 105
Messina, D., see Nicoletti, G., 65
Minami, M., see Katayama, T., 277
Minov, C., see Baghai, T.C., 299
Mita, S., see Yamashita, S., 289
Miyawaki, T., Tsubokawa, H., Yokota, H., Oguro, K., Konno, K., Masuzawa, T., Kawai, N., Differential effects of novel wasp toxin on rat hippocampal interneurons, 25
Miyazato, M., see Sugaya, K., 74
Mizuta, I., see Ohta, K., 205
Moncaster, J.A., Walsh, D.T., Gentleman, S.M., Jen, L.-S., Aruoma, O.I., Ergothioneine treatment protects neurons against *N*-methyl-D-aspartate excitotoxicity in an in vivo rat retinal model, 55
Monopoli, A., see Bastia, E., 241
Morgenstern, R., see Meissner, W., 105
Morrow, B.A., see Redmond, A.J., 209
Murakami, Y., see Tanaka, J., 201

Nacmias, B., see Bagnoli, S., 273
Nagai, M., Wada, M., Sunaga, N., Trait anxiety affects the pupillary light reflex in college students, 68
Nakamura, M., see Katayama, T., 277
Nakamura, Y., Paur, R., Zimmermann, R., Bromm, B., Attentional modulation of human pain processing in the secondary somatosensory cortex: a magnetoencephalographic study, 29
Nalbant, D., see Gervitz, L.M., 175
Nargeot, R., Baxter, D.A., Byrne, J.H., Correlation between activity in neuron B52 and two features of fictive feeding in *Aplysia*, 85
Naruse, Y., see Ueda, M., 97
Nazé, P., Vuillaume, I., Destée, A., Pasquier, F., Sablonnière, B., Mutation analysis and association studies of the ubiquitin carboxy-terminal hydrolase L1 gene in Huntington's disease, 1
Negishi, T., Ishii, Y., Kawamura, S., Kuroda, Y., Yoshikawa, Y., Cryopreservation and primary culture of cerebral neurons from cynomolgus monkeys (*Macaca fascicularis*), 21
Ng, C.E.L., see Liu, H., 257
Nicoletti, G., Annesi, G., Tomaino, C., Spadafora, P., Pasqua, A.A., Annesi, F., Serra, P., Caracciolo, M., Messina, D., Zappia, M., Quattrone, A., No

evidence of association between the alpha-2 macroglobulin gene and Parkinson's disease in a case–control sample, 65
Niddam, D.M., see Chen, A.C.N., 190
Nishijima, S., see Sugaya, K., 74
Nordberg, A., see Marutle, A., 269

Oezer, S., see Baghai, T.C., 299
Ogawa, Y., see Sugaya, K., 74
Oguro, K., see Miyawaki, T., 25
Oh, G.-S., see Choi, B.-M., 185
Oh, H., see Choi, B.-M., 185
Ohama, E., see Yamashita, S., 289
Ohta, K., Ohta, M., Mizuta, I., Fujinami, A., Shimazu, S., Sato, N., Yoneda, F., Hayashi, K., Kuno, S., The novel catecholaminergic and serotonergic activity enhancer *R*-( − )-1-(benzofuran-2-yl)-2-propylaminopentane up-regulates neurotrophic factor synthesis in mouse astrocytes, 205
Ohta, M., see Ohta, K., 205
Okado, H., see Yamashita, S., 289
Okusa, T., Kakigi, R., Structure of visual evoked magnetic field during sleep in humans, 113
Oliviero, A., see Serrien, D.J., 89
Oostenveld, R., see Chen, A.C.N., 190
Opitz, B., see Heim, St., 101
Ortenzi, L., see Bagnoli, S., 273

Pae, H.-O., see Choi, B.-M., 185
Panzetta, P., see Brocco, M.A., 221
Parent, A., see Bédard, A., 213
Pasqua, A.A., see Nicoletti, G., 65
Pasquier, F., see Nazé, P., 1
Paul, G., see Meissner, W., 105
Paur, R., see Nakamura, Y., 29
Pearlstein, R.D., see Lockhart, E.M., 33
Penning, D.H., see Lockhart, E.M., 33
Pérez, H., Ruiz, S., Soto-Moyano, R., Prenatal malnutrition-induced hypertension in young rats is prevented by neonatal capsaicin treatment, 253
Pérez, H., see Manjarrez, E., 37
Perl, D.P., see Hof, P.R., 294
Pertovaara, A., see Martikainen, I.K., 322
Peterson, D.A., Thaut, M.H., Delay modulates spectral correlates in the human EEG of non-verbal auditory working memory, 17
Petitto, J.M., Huang, Z., Lo, J., Beck Jr., R.D., Rinker, C., Hartemink, D.A., Relationship between the development of autoimmunity and sensorimotor gating in MRL-lpr mice with reduced IL-2 production, 304
Petruzzi, C., see Bagnoli, S., 273
Pickering-Brown, S.M., see Lendon, C.L., 314
Pirlich, M., Kiok, K., Sandig, G., Lochs, H., Grune, T., Alpha-lipoic acid prevents ethanol-induced protein oxidation in mouse hippocampal HT22 cells, 93
Piva, R., see Schiffer, D., 125
Planas, A.M., see Chamorro, Á., 229
Ponzoni, S., Gaziri, L.C.J., Britto, L.R.G., Barreto, W.J., Blum, D., Clearance of manganese from the rat substantia nigra following intra-nigral microinjections, 170
Puoliväli, J., see Marutle, A., 269

Quattrone, A., see Nicoletti, G., 65

Rabe-Hesketh, S., see Ettinger, U., 225
Rebeck, G.W., see Martin-Rehrmann, M.D., 109
Redmond, A.J., Morrow, B.A., Elsworth, J.D., Roth, R.H., Selective activation of the A10, but not A9, dopamine neurons in the rat by the predator odor, 2,5-dihydro-2,4,5-trimethylthiazoline, 209
Reeves, B., see Glass, T.F., 133
Reite, M.L., see Rojas, D.C., 237
Ren, D., see Tang, G., 195
Reum, T., see Meissner, W., 105
Riediger, T., Schmid, H.A., Lutz, T.A., Simon, E., Amylin and glucose coactivate area postrema neurons of the rat, 121
Rinker, C., see Petitto, J.M., 304
Ristori, G., see Ballerini, C., 325
Rogers, S.J., see Rojas, D.C., 237
Rojas, D.C., Bawn, S.D., Benkers, T.L., Reite, M.L., Rogers, S.J., Smaller left hemisphere planum temporale in adults with autistic disorder, 237
Rojas-Piloni, J.G., see Manjarrez, E., 37
Rosati, E., see Ballerini, C., 325
Roth, R.H., see Redmond, A.J., 209
Rouby, C., see Bensafi, M., 309
Ruiz, S., see Pérez, H., 253
Rupprecht, R., see Baghai, T.C., 299

Sablonnière, B., see Nazé, P., 1
Sakai, N., see Seki, T., 249
Salvetti, M., see Ballerini, C., 325
Sandig, G., see Pirlich, M., 93
Sasa, M., see Seki, T., 249
Sato, N., see Manabe, T., 198
Sato, N., see Ohta, K., 205
Satoh, M., see Katayama, T., 277
Schermer, C., Humpel, C., Granulocyte macrophage-colony stimulating factor activates microglia in rat cortex organotypic brain slices, 180
Schiffelholz, T., Aldenhoff, J.B., Novel object presentation affects sleep–wake behavior in rats, 41
Schiffer, D., Cavalla, P., Fiano, V., Ghimenti, C., Piva, R., Inverse relationship between p27/Kip.1 and the F-box protein Skp2 in human astrocytic gliomas by immunohistochemistry and Western blot, 125
Schmid, H.A., see Riediger, T., 121
Schofield, G.G., see Guo, J., 285
Schule, C., see Baghai, T.C., 299
Schwald, M., see Karege, F., 261
Seki, T., Matsubayashi, H., Amano, T., Kitada, K., Serikawa, T., Sakai, N., Sasa, M., Adenoviral gene transfer of aspartoacylase into the tremor rat, a genetic model of epilepsy, as a trial of gene therapy for inherited epileptic disorder, 249
Seo, H., see Bimonte, H.A., 50
Serikawa, T., see Seki, T., 249
Serio, A., see Bagnoli, S., 273
Serra, P., see Nicoletti, G., 65
Serrien, D.J., Strens, L.H.A., Oliviero, A., Brown, P., Repetitive transcranial magnetic stimulation of the supplementary motor area (SMA) degrades bimanual movement control in humans, 89
Shang, Y., Dluzen, D.E., Castration increases nisoxetine-evoked norepinephrine levels in vivo within the olfactory bulb of male rats, 81
Sharma, T., see Ettinger, U., 225
Sharp, F.R., see Glass, T.F., 133
Shen, W., see Zhang, C., 265
Shimazu, S., see Ohta, K., 205
Simon, E., see Riediger, T., 121
Sisodiya, S.M., Thom, M., Lin, W.-R., Bajaj, N.P.S., Cross, J.H., Harding, B.N., Abnormal expression of cdk5 in focal cortical dysplasia in humans, 217

Smith, G., see Hashiba, E., 5
Smith, P.F., see King, J., 77
Sohr, R., see Meissner, W., 105
Sorbi, S., see Bagnoli, S., 273
Sorbi, S., see Ballerini, C., 325
Soto-Moyano, R., see Pérez, H., 253
Spadafora, P., see Nicoletti, G., 65
Strens, L.H.A., see Serrien, D.J., 89
Stys, P.K., Jiang, Q., Calpain-dependent neurofilament breakdown in anoxic and ischemic rat central axons, 150
Sugaya, K., Nishijima, S., Miyazato, M., Ashitomi, K., Hatano, T., Ogawa, Y., Effects of intrathecal injection of tamsulosin and naftopidil, alpha-1A and -1D adrenergic receptor antagonists, on bladder activity in rats, 74
Sumich, A.L., see Ettinger, U., 225
Sunaga, N., see Nagai, M., 68

Takei, N., see Ueda, M., 97
Tamer, M., see Ulugol, A., 129
Tanaka, J., Koshimura, K., Murakami, Y., Kato, Y., Possible involvement of tetrahydrobiopterin in the trophic effect of insulin-like growth factor-1 on rat pheochromocytoma-12 (PC12) cells, 201
Tanaka, M., see Ueda, M., 97
Tang, B.L., see Liu, H., 257
Tang, G., Zhang, M., Xie, H., Jiang, S., Wang, Z., Xu, L., Hao, Y., Lin, D., Lan, H., Wang, Y., Chen, L., Ren, D., Alpha-2 macroglobulin I1000V polymorphism in Chinese sporadic Alzheimer's disease and Parkinson's disease, 195
Tang, J.-S., see Yang, Z.-J., 141
Tanila, H., see Marutle, A., 269
Tebartz van Elst, L., see Hesslinger, B., 319
Tedde, A., see Bagnoli, S., 273
Thaker, U., see Lendon, C.L., 314
Thaut, M.H., see Peterson, D.A., 17
Thiel, T., see Hesslinger, B., 319
Thom, M., see Sisodiya, S.M., 217
Tohyama, M., see Manabe, T., 198
Tomaino, C., see Nicoletti, G., 65
Toth, G., see Hashiba, E., 5
Tsai, J.-C., see Chan, P., 281
Tsubokawa, H., see Miyawaki, T., 25
Turner, D.L., Expiratory resistive loaded breathing in humans increases fluctuations of force production in submaximal isometric quadriceps contractions, 13

Uchino, M., see Yamashita, S., 289
Ueda, M., Hirose, M., Takei, N., Ibuki, T., Naruse, Y., Amaya, F., Ibata, Y., Tanaka, M., Nerve growth factor induces systemic hyperalgesia after thoracic burn injury in the rat, 97
Ugrumov, M.V., see Makarenko, I.G., 155
Ulugol, A., Karadag, H.C., Tamer, M., Firat, Z., Aslantas, A., Dokmeci, I., Involvement of adenosine in the anti-allodynic effect of amitriptyline in streptozotocin-induced diabetic rats, 129
Unger, C., see Marutle, A., 269

Varani, K., see Bastia, E., 241
Veit, R., Flor, H., Erb, M., Hermann, C., Lotze, M., Grodd, W., Birbaumer, N., Brain circuits involved in emotional learning in antisocial behavior and social phobia in humans, 233
Vélez, D., see Manjarrez, E., 37
Vergelli, M., see Ballerini, C., 325
Vigouroux, M., see Bensafi, M., 309
Vuillaume, I., see Nazé, P., 1

Wada, M., see Nagai, M., 68
Walsh, D.T., see Moncaster, J.A., 55
Wang, D.-S., Zhu, H.-L., Hong, Z., Li, J.-S., $Cu^{2+}$ inhibition of glycine-activated currents in rat sacral dorsal commissural neurons, 117
Wang, J., see Marutle, A., 269
Wang, Y., see Tang, G., 195
Wang, Z., see Tang, G., 195
Warner, D.S., see Lockhart, E.M., 33
Williams, S.C., see Gervitz, L.M., 175
Wilson, M.A., Mascagni, F., McDonald, A.J., Sex differences in delta opioid receptor immunoreactivity in rat medial amygdala, 160
Wu, C.-F., see Yang, J.-Y., 165
Wu, G.-C., see Ji, G.-C., 137

Xie, H., see Tang, G., 195
Xu, L., see Tang, G., 195
Xu, N.-J., see Yang, J.-Y., 165

Yamashita, S., Mita, S., Kato, S., Okado, H., Ohama, E., Uchino, M., Effect on motor neuron survival in mutant SOD1 (G93A) transgenic mice by Bcl-2 expression using retrograde axonal transport of adenoviral vectors, 289
Yang, J.-Y., Abe, K., Xu, N.-J., Matsuki, N., Wu, C.-F., Oleamide attenuates apoptotic death in cultured rat cerebellar granule neurons, 165
Yang, Z.-J., Tang, J.-S., Jia, H., Morphine microinjections into the rat nucleus submedius depress nociceptive behavior in the formalin test, 141
Yokota, H., see Miyawaki, T., 25
Yoneda, F., see Ohta, K., 205
Yoshikawa, Y., see Negishi, T., 21
Young, C., see King, J., 77

Zappia, M., see Nicoletti, G., 65
Zhang, C., Shen, W., Zhang, G., *N*-methyl-D-aspartate receptor and L-type voltage-gated $Ca^{2+}$ channel antagonists suppress the release of cytochrome *c* and the expression of procaspase-3 in rat hippocampus after global brain ischemia, 265
Zhang, G., see Zhang, C., 265
Zhang, M., see Tang, G., 195
Zhang, X., see Marutle, A., 269
Zhang, Y.-Q., see Ji, G.-C., 137
Zhu, H.-L., see Wang, D.-S., 117
Zill, P., see Baghai, T.C., 299
Zimmermann, R., see Nakamura, Y., 29
Zwanzger, P., see Baghai, T.C., 299